

FM 1-90 | Fully Adhered 060 EPDM with Mech. Attached Cover Board

Fully Adhered EPDM Systems over a 22 gauge 33 ksi steel deck

| Product Name | Board Thickness | Fastener Spacing | Membrane | Bonding | Resista | Vapor Barrier | Notes/ Comments: | |
|------------------|--------------------------|------------------|-------------|------------|------------------|---------------|------------------|-------------------------|
| | | | | | | | OPTIONAL | Roof Nav # |
| ISO 95+ GL | 1.25"-1.9" 2" greater | 12 18 8 16 | 32 x x x | x x x x | 0.50 x 0.50 x | x x x x | 0 x 0 x | 0.25 0.25 |
| ISO Gard HD | .5" | 12 18 | 32 x | x x | 0.50 x | x x | 0 x | 0.25 |
| ISO Gard HD Comp | 1.5" | 8 16 | 32 x | x x | 0.50 x | x x | 0 x | 0.25 |
| Hailgard | 2.0" | 16 24 | 32 x | x x | 1.00 x | x x | NO x | 0.25 |
| DensDeck | .5" | 16 24 | 32 x | x x | 1.00 x | x x | 0 x | 0.25 |
| DensDeck Prime | .25" .5" | 12 18 8 16 | 32 x x x | x x x x | 0.25 x 0.50 x | x x x x | 0 x 0 x | 0.25 n/a |
| Securerock | 0.25 0.5 | 10 16 8 16 | 32 x x x | x x x x | 0.25 x 0.25 x | x x x x | 0 x 0 x | 0.25 0.25 |
| | | | | | | | | 320370-0-0 32581-0-0 |

Refer to RoofNav assembly for complete information/requirements.

It is the responsibility of the designer/user to validate assemblies in the chart for accuracy and warrantability.

Must use primer when adhering V-Force to substrate board.

DD=DensDeck