

## Safety Data Sheet

## Firestone Building Products Company

## Section 1: Identification of the Substance/Mixture and of the Company/Undertaking

## 1.1 Product identifier

**Product Name** • **BaseGard™ SA**

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified use(s)** • Construction

## 1.3 Details of the supplier of the safety data sheet

**Manufacturer** • Firestone Building Products Company  
200 4th Avenue S  
Nashville, TN 37201-2208  
United States

firestonemsds@bfdp.com

**Telephone (General)** • 800-428-4442

## 1.4 Emergency telephone number

**Manufacturer** • (800) 424-9300 - CHEMTREC

**Manufacturer** • (703) 527-3887 - CHEMTREC - International

## Section 2: Hazards Identification

## EU/EEC

According to: Regulation (EC) No 1272/2008 (CLP)/REACH 1907/2006 [amended by 2015/830]

## 2.1 Classification of the substance or mixture

**CLP** • Skin Irritation 2 - H315  
Carcinogenicity 1A - H350i  
Specific Target Organ Toxicity Repeated Exposure 1 - H372

## 2.2 Label Elements

**CLP**

**DANGER**

**Hazard statements** • H315 - Causes skin irritation  
H350i - May cause cancer by inhalation.  
H372 - Causes damage to organs through prolonged or repeated exposure.

**Precautionary statements**

**Prevention** • P201 - Obtain special instructions before use.  
P202 - Do not handle until all safety precautions have been read and understood.  
P260 - Do not breathe dust.  
P264 - Wash thoroughly after handling.  
P270 - Do not eat, drink or smoke when using this product.  
P280 - Wear protective gloves/protective clothing/eye protection/face protection.

- Response** • P302+P352 - IF ON SKIN: Wash with plenty of water.  
P362+P364 - Take off contaminated clothing and wash it before reuse.  
P321 - Specific treatment, see supplemental first aid information.  
P332+P313 - If skin irritation occurs: Get medical advice/attention.  
P308+P313 - IF exposed or concerned: Get medical advice/attention.  
P314 - Get medical advice/attention if you feel unwell.
- Storage/Disposal** • P405 - Store locked up.  
P501 - Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

## 2.3 Other Hazards

- CLP** • According to Regulation (EC) No. 1272/2008 (CLP) this material is considered hazardous.

## United States (US)

According to: OSHA 29 CFR 1910.1200 HCS

### 2.1 Classification of the substance or mixture

- OSHA HCS 2012** • Skin Irritation 2  
Carcinogenicity 1A  
Specific Target Organ Toxicity Repeated Exposure 1

### 2.2 Label elements

OSHA HCS 2012

#### DANGER



- Hazard statements** • Causes skin irritation  
May cause cancer.  
Causes damage to organs through prolonged or repeated exposure.

#### Precautionary statements

- Prevention** • Obtain special instructions before use.  
Do not handle until all safety precautions have been read and understood.  
Do not breathe dust.  
Wash thoroughly after handling.  
Do not eat, drink or smoke when using this product.  
Wear protective gloves/protective clothing/eye protection/face protection.
- Response** • If on skin: Wash with plenty of water.  
Take off contaminated clothing and wash before reuse.  
Specific treatment, see supplemental first aid information.  
If skin irritation occurs: Get medical advice/attention.  
IF exposed or concerned: Get medical advice/attention.  
Get medical advice/attention if you feel unwell.
- Storage/Disposal** • Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

## 2.3 Other hazards

- OSHA HCS 2012** • Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

## Canada

According to: WHMIS 2015

### 2.1 Classification of the substance or mixture

**WHMIS 2015**

- Skin Irritation 2
- Carcinogenicity 1A
- Specific Target Organ Toxicity Repeated Exposure 1

**2.2 Label elements****WHMIS 2015****DANGER**

- Hazard statements**
- Causes skin irritation
  - May cause cancer.
  - Causes damage to organs through prolonged or repeated exposure.

**Precautionary statements**

- Prevention**
- Obtain special instructions before use.
  - Do not handle until all safety precautions have been read and understood.
  - Do not breathe dust.
  - Wash thoroughly after handling.
  - Do not eat, drink or smoke when using this product.
  - Wear protective gloves/protective clothing/eye protection/face protection.
- Response**
- IF ON SKIN: Wash with plenty of water.
  - Take off contaminated clothing and wash it before reuse.
  - Specific treatment, see supplemental first aid information.
  - If skin irritation occurs: Get medical advice/attention.
  - IF exposed or concerned: Get medical advice/attention.
  - Get medical advice/attention if you feel unwell.
- Storage/Disposal**
- Store locked up.
  - Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

**2.3 Other hazards****WHMIS 2015**

- In Canada, the product mentioned above is considered hazardous under the Workplace Hazardous Materials Information System (WHMIS).

**Section 3 - Composition/Information on Ingredients****3.1 Substances**

- Material does not meet the criteria of a substance.

**3.2 Mixtures**

Composition					
Chemical Name	Identifiers	%	LD50/LC50	Classifications According to Regulation/Directive	Comments
Asphalt	CAS:8052-42-4 EINECS:232-490-9	67.7%	Ingestion/Oral-Rat LD50 • >5000 mg/kg Inhalation-Rat LC50 • >94.4 mg/m <sup>3</sup>	EU CLP: Skin Irrit. 2, H315 OSHA HCS 2012: Skin Irrit 2 WHMIS 2015: Skin Irrit 2	NDA
Crystalline silica	CAS:14808-60-7 EC Number:238-878-4	9.8%	NDA	EU CLP: Carc. 1A, H350i; STOT RE 1, H372 (Lungs/Inhl) OSHA HCS 2012: Carc 1A; STOT RE 1 (Lungs/Inhl) WHMIS 2015: Carc 1A; STOT RE 1	NDA

				(Lungs/Inh)	
Continuous Filament Glass Fibers (in a woven mat)	NDA	4.8%	NDA	EU CLP: Not Classified OSHA HCS 2012: Not Classified WHMIS 2015: Not Classified	NDA

## Section 4 - First Aid Measures

### 4.1 Description of first aid measures

- Inhalation**
- Remove to fresh air, apply artificial respiration and/or oxygen if necessary and get medical attention.
- Skin**
- Remove contaminated clothing and wash exposed skin with soap and water. If irritation develops or persists, seek medical attention.
- Eye**
- If foreign matter enters eyes, immediately flush with large amounts of water for at least 15 minutes or until irritation subsides. If irritation develops, or persists, seek medical attention.
- Ingestion**
- Consult a physician if unusual reaction is noted. Product is not intended nor is it likely to be ingested or eaten.

### 4.2 Most important symptoms and effects, both acute and delayed

- Refer to Section 11 - Toxicological Information.

### 4.3 Indication of any immediate medical attention and special treatment needed

- Notes to Physician**
- All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

## Section 5 - Firefighting Measures

### 5.1 Extinguishing media

- Suitable Extinguishing Media**
- Use water, foam, CO2 or dry chemical extinguishers to contain fire.
- Unsuitable Extinguishing Media**
- No data available.
- Firefighting Procedures**
- Fire fighters should avoid inhaling any combustion products.

### 5.2 Special hazards arising from the substance or mixture

- Unusual Fire and Explosion Hazards**
- Burning of this product will produce thick black smoke.
- Hazardous Combustion Products**
- Carbon dioxide, carbon monoxide and partially burned carbon.

### 5.3 Advice for firefighters

- Firefighters should wear full-face, self contained breathing apparatus and impervious protective clothing to avoid smoke inhalation and lack of oxygen.

## Section 6 - Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

- Personal Precautions**
- No special precautions expected to be necessary if material is used under ordinary conditions and as recommended.
- Emergency Procedures**
- No emergency procedures are expected to be necessary if material is used under ordinary conditions as recommended.

### 6.2 Environmental precautions

- Avoid run off to waterways and sewers.

### 6.3 Methods and material for containment and cleaning up

#### Containment/Clean-up Measures

- Pick up large pieces. Vacuum dust. If sweeping is necessary, use a dust suppressant such as water. These procedures will help to minimize potential exposures. Scoop up material and put into a suitable container for disposal as a non-hazardous waste.

### 6.4 Reference to other sections

- Refer to Section 8 - Exposure Controls/Personal Protection and Section 13 - Disposal Considerations.

## Section 7 - Handling and Storage

### 7.1 Precautions for safe handling

#### Handling

- Do not breathe dusts or fumes generated from cutting or heating this material. Use this product with adequate ventilation. Always wash work clothes separately from other clothing. Wash thoroughly after handling. Use personal protective equipment as described in Section 8.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage

- Store indoors in a cool, dry, well-ventilated area. Do not handle or store near an open flame, heat or other sources of ignition.

### 7.3 Specific end use(s)

- Refer to Section 1.2 - Relevant identified uses.

## Section 8 - Exposure Controls/Personal Protection

### 8.1 Control parameters

Exposure Limits/Guidelines						
	Result	ACGIH	Belgium	Canada Alberta	Canada British Columbia	Canada Manitoba
Crystalline silica (14808-60-7)	TWAs	0.025 mg/m3 TWA (respirable particulate matter)	0.1 mg/m3 TWA (alveolar dust)	0.025 mg/m3 TWA (respirable particulate)	0.025 mg/m3 TWA (respirable)	0.025 mg/m3 TWA (respirable particulate matter)
Asphalt (8052-42-4)	TWAs	0.5 mg/m3 TWA (fume, inhalable particulate matter, as benzene-soluble aerosol)	5 mg/m3 TWA (fume)	5 mg/m3 TWA (Petroleum; Bitumen, fume)	0.5 mg/m3 TWA (inhalable fume, as Benzene-soluble aerosol)	0.5 mg/m3 TWA (fume, inhalable particulate matter, as Benzene soluble aerosol)
Exposure Limits/Guidelines (Con't.)						
	Result	Canada New Brunswick	Canada Northwest Territories	Canada Nova Scotia	Canada Nunavut	Canada Ontario
Crystalline silica (14808-60-7)	TWAs	0.1 mg/m3 TWA (respirable fraction)	0.05 mg/m3 TWA (respirable fraction, listed under Silica - crystalline)	0.025 mg/m3 TWA (respirable particulate matter)	0.05 mg/m3 TWA (respirable fraction, listed under Silica - crystalline)	0.10 mg/m3 TWA (designated substances regulation, respirable, listed under Silica, crystalline)
Asphalt (8052-42-4)	TWAs	5 mg/m3 TWA (petroleum fumes)	0.5 mg/m3 TWA (Bitumen, fume, as Benzene soluble aerosol (inhalable fraction))	0.5 mg/m3 TWA (fume, inhalable particulate matter, as Benzene soluble aerosol)	0.5 mg/m3 TWA (Bitumen, fume, as Benzene soluble aerosol (inhalable fraction))	0.5 mg/m3 TWA (fume, inhalable, as Benzene-soluble aerosol)
			1.5 mg/m3 STEL (Bitumen, fume, as		1.5 mg/m3 STEL (Bitumen, fume, as	

	STELs	Not established	Benzene soluble aerosol (inhalable fraction))	Not established	Benzene soluble aerosol (inhalable fraction))	Not established
<b>Exposure Limits/Guidelines (Con't.)</b>						
	Result	Canada Quebec	Canada Saskatchewan	Canada Yukon	Denmark	NIOSH
Crystalline silica (14808-60-7)	TWAs	0.1 mg/m3 TWAEV (respirable dust)	0.05 mg/m3 TWA (respirable fraction, listed under Silica - crystalline (Trydimite removed))	300 particle/mL TWA (listed under Silica - Quartz, crystalline)	0.3 mg/m3 TWA (total); 0.1 mg/m3 TWA (respirable)	0.05 mg/m3 TWA (respirable dust)
Asphalt (8052-42-4)	TWAs	5 mg/m3 TWAEV (fume)	0.5 mg/m3 TWA (fume and inhalable fraction, as Benzene soluble aerosol)	5 mg/m3 TWA (fume)	1 mg/m3 TWA (Cyclohexane fraction of total dust, fume)	Not established
	STELs	Not established	Not established	10 mg/m3 STEL (fume)	Not established	Not established
	Ceilings	Not established	Not established	Not established	Not established	5 mg/m3 Ceiling (fume, 15 min)
<b>Exposure Limits/Guidelines (Con't.)</b>						
	Result	OSHA				
Crystalline silica (14808-60-7)	TWAs	50 µg/m3 TWA (listed under Respirable crystalline silica)				

## Exposure Control Notations

### Canada Ontario

- Crystalline silica (14808-60-7): **Designated Substances:** (0.10 mg/m3 TWA (respirable fraction, listed under Silica, crystalline))

### Canada Quebec

- Crystalline silica (14808-60-7): **Carcinogens:** (C2 carcinogen - effect suspected in humans)

### ACGIH

- Asphalt (8052-42-4): **Carcinogens:** (A4 - Not Classifiable as a Human Carcinogen (fume, coal tar-free))
- Crystalline silica (14808-60-7): **Carcinogens:** (A2 - Suspected Human Carcinogen)

### Germany DFG

- Asphalt (8052-42-4): **Carcinogens:** (Category 2 (considered to be carcinogenic for man; aerosol and vapor)) | **Skin:** (skin notation (aerosol and vapour))
- Crystalline silica (14808-60-7): **Carcinogens:** (Category 1 (causes cancer in man; alveola fraction))

## Exposure Limits Supplemental

### OSHA

- Crystalline silica (14808-60-7): **Mineral Dusts:** ((250)/(%SiO<sub>2</sub> + 5) mppcf TWA, respirable fraction; (10)/(%SiO<sub>2</sub> + 2) mg/m3 TWA, respirable fraction)

### ACGIH

- Asphalt (8052-42-4): **BEIs:** (Medium: urine Time: end of shift at end of workweek Parameter: 1-Hydroxypyrene with hydrolysis (nonquantitative)) |

**TLV Basis - Critical Effects:** (eye and upper respiratory tract irritation (fume))

- Crystalline silica (14808-60-7): **TLV Basis - Critical Effects:** (lung cancer; pulmonary fibrosis)

## 8.2 Exposure controls

### Engineering Measures/Controls

- This material is designed to be used outdoors, in roofing applications. Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

### Personal Protective Equipment

#### Respiratory

- Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH or European Standard EN 149 approved respirator if

exposure limits are exceeded or symptoms are experienced.

**Eye/Face**

- Wear protective eyewear (goggles, face shield, or safety glasses).

**Skin/Body**

- Wear appropriate gloves.

**Environmental Exposure Controls**

- Dispose of waste product in accordance with national and local laws and regulations.

**Key to abbreviations**

ACGIH = American Conference of Governmental Industrial Hygiene

STEL = Short Term Exposure Limits are based on 15-minute exposures

BEI = Biological Exposure Indices

TLV = Threshold Limit Value determined by the American Conference of Governmental Industrial Hygienists (ACGIH)

NIOSH = National Institute of Occupational Safety and Health

TWA = Time-Weighted Averages are based on 8h/day, 40h/week exposures

OSHA = Occupational Safety and Health Administration

TWAEV = Time-Weighted Average Exposure Value

## Section 9 - Physical and Chemical Properties

### 9.1 Information on Basic Physical and Chemical Properties

Material Description			
Physical Form	Solid	Appearance/Description	Black mat with sand surface.
Color	Black	Odor	Asphalt odor.
Odor Threshold	Data lacking		
General Properties			
Boiling Point	None	Melting Point/Freezing Point	Data lacking
Decomposition Temperature	Data lacking	pH	Not relevant
Specific Gravity/Relative Density	Data lacking	Water Solubility	Insoluble
Viscosity	Data lacking	Explosive Properties	Not explosive.
Oxidizing Properties:	Not an oxidizer.		
Volatility			
Vapor Pressure	Data lacking	Vapor Density	Data lacking
Evaporation Rate	Not relevant		
Flammability			
Flash Point	Not relevant	UEL	Not relevant
LEL	Not relevant	Autoignition	Not relevant
Flammability (solid, gas)	Not flammable.		
Environmental			
Octanol/Water Partition coefficient	Data lacking		

### 9.2 Other Information

- No additional physical and chemical parameters noted.

## Section 10: Stability and Reactivity

### 10.1 Reactivity

- No dangerous reaction known under conditions of normal use.

### 10.2 Chemical stability

- Stable

### 10.3 Possibility of hazardous reactions

- Hazardous polymerization will not occur.

## 10.4 Conditions to avoid

- None

## 10.5 Incompatible materials

- No data available

## 10.6 Hazardous decomposition products

- No data available

## Section 11 - Toxicological Information

### 11.1 Information on toxicological effects

		Components
Asphalt (67.7%)	8052-42-4	<b>Acute Toxicity:</b> Ingestion/Oral-Rat LD50 • >5000 mg/kg; <i>Gastrointestinal:Hypermotility, diarrhea</i> ; Inhalation-Rat LC50 • >94.4 mg/m <sup>3</sup> ; <b>Mutagen:</b> Micronucleus test • Unreported Route-Rat • Other Cell Type • 57.8 µg/L; <b>Tumorigen / Carcinogen:</b> Skin-Mouse TDLo • 905 g/kg 2 Year(s)-Intermittent; <i>Tumorigenic:Neoplastic by RTECS criteria; Lungs, Thorax, or Respiration:Tumors; Skin and Appendages:Other:Tumors</i>
Crystalline silica (9.8%)	14808-60-7	<b>Acute Toxicity:</b> Inhalation-Human TCLo • 16 mppcf 8 Hour(s) 17.9 Year(s)-Intermittent; <i>Lungs, Thorax, or Respiration:Fibrosis, focal (pneumoconiosis); Lungs, Thorax, or Respiration:Cough; Lungs, Thorax, or Respiration:Dyspnea</i> ; Inhalation-Rat TCLo • 200 mg/kg; <i>Lungs, Thorax, or Respiration:Fibrosis, focal (pneumoconiosis); Lungs, Thorax, or Respiration:Other changes; Nutritional and Gross Metabolic:Changes in Chemistry or Temperature:Fe</i> ; <b>Multi-dose Toxicity:</b> Inhalation-Hamster TCLo • 3 mg/m <sup>3</sup> 6 Hour(s) 78 Week(s)-Intermittent; <i>Lungs, Thorax, or Respiration:Fibrosis (interstitial); Lungs, Thorax, or Respiration:Changes in lung weight</i> ; Inhalation-Rat TCLo • 6.2 mg/m <sup>3</sup> 6 Hour(s) 6 Week(s)-Intermittent; <i>Lungs, Thorax, or Respiration:Other changes; Blood:Changes in spleen; Immunological Including Allergic:Increase in cellular immune response</i> ; Inhalation-Rat TCLo • 80 mg/m <sup>3</sup> 26 Week(s)-Intermittent; <i>Lungs, Thorax, or Respiration:Fibrosis, focal (pneumoconiosis); Blood:Changes in spleen; Immunological Including Allergic:Decrease in cellular immune response</i> ; <b>Mutagen:</b> Micronucleus test • Unreported Route-Hamster • Lung (Somatic cell) • 160 µg/cm <sup>3</sup> ; DNA damage • Unreported Route-Human • Other Cell Type • 120 mg/L 24 Hour(s); Micronucleus test • Unreported Route-Human • Lung (Somatic cell) • 40 µg/cm <sup>3</sup> ; <b>Tumorigen / Carcinogen:</b> Inhalation-Rat TCLo • 50 mg/m <sup>3</sup> 6 Hour(s) 71 Week(s)-Intermittent; <i>Tumorigenic:Carcinogenic by RTECS criteria; Liver:Tumors</i>

GHS Properties	Classification
<b>Acute toxicity</b>	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking WHMIS 2015 • Data lacking
<b>Skin corrosion/Irritation</b>	EU/CLP • Skin Irritation 2 OSHA HCS 2012 • Skin Irritation 2 WHMIS 2015 • Skin Irritation 2
<b>Serious eye damage/Irritation</b>	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking WHMIS 2015 • Data lacking
<b>Skin sensitization</b>	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking WHMIS 2015 • Data lacking
<b>Respiratory sensitization</b>	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking



	WHMIS 2015 • Data lacking
<b>Aspiration Hazard</b>	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking WHMIS 2015 • Data lacking
<b>Carcinogenicity</b>	EU/CLP • Carcinogenicity 1A; May cause cancer by inhalation OSHA HCS 2012 • Carcinogenicity 1A WHMIS 2015 • Carcinogenicity 1A
<b>Germ Cell Mutagenicity</b>	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking WHMIS 2015 • Data lacking
<b>Toxicity for Reproduction</b>	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking WHMIS 2015 • Data lacking
<b>STOT-SE</b>	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking WHMIS 2015 • Data lacking
<b>STOT-RE</b>	EU/CLP • Specific Target Organ Toxicity Repeated Exposure 1 OSHA HCS 2012 • Specific Target Organ Toxicity Repeated Exposure 1 WHMIS 2015 • Specific Target Organ Toxicity Repeated Exposure 1

## Potential Health Effects

### Inhalation

#### Acute (Immediate)

- Exposure to dust may cause irritation. Processes such as cutting, grinding, crushing, or impact may result in generation of excessive amounts of airborne dusts in the workplace. Nuisance dust may affect the lungs but reactions are typically reversible.

#### Chronic (Delayed)

- Prolonged exposure to the dust may cause wheezing, chest tightness, productive cough nasal irritation and symptoms of chronic respiratory disease. Long term exposure to high levels of silica dust, which can occur only when sanding or abrading the dry film, may cause lung damage (silicosis) and possibly cancer.

### Skin

#### Acute (Immediate)

- Causes skin irritation.

#### Chronic (Delayed)

- No data available.

### Eye

#### Acute (Immediate)

- Exposure to dust may cause mechanical irritation. Excessive concentrations of nuisance dust in the workplace may reduce visibility and may cause unpleasant deposits in eyes.

#### Chronic (Delayed)

- No data available.

### Ingestion

#### Acute (Immediate)

- Excessive concentrations of nuisance dust in the workplace may cause mechanical irritation to mucous membranes.

#### Chronic (Delayed)

- No data available

### Carcinogenic Effects

- May cause cancer. Based upon the newly published IARC classifications for bitumen/asphalt fumes, it has been determined that the IARC carcinogen designation does not apply to this material as it does not contain material identified by IARC. This product contains crystalline silica. IARC Monographs on Evaluation of Carcinogenic Risk of Chemicals to Humans (Monograph 68, 1997) concludes that there is sufficient evidence for the carcinogenicity of crystalline silica to humans, IARC (Group I). Crystalline Silica is classified as a Known Carcinogen according to the NTP.

Carcinogenic Effects			
	CAS	IARC	NTP
Asphalt	8052-42-4	Group 2B-Possible Carcinogen	Not Listed

Crystalline silica	14808-60-7	Group 1-Carcinogenic	Known Human Carcinogen
--------------------	------------	----------------------	------------------------

**Key to abbreviations**

LC = Lethal Concentration

LD = Lethal Dose

TC = Toxic Concentration

TD = Toxic Dose

**Section 12 - Ecological Information****12.1 Toxicity**

- Material data lacking.

**12.2 Persistence and degradability**

- Material data lacking.

**12.3 Bioaccumulative potential**

- Material data lacking.

**12.4 Mobility in Soil**

- Material data lacking.

**12.5 Results of PBT and vPvB assessment**

- PBT and vPvB assessment has not been carried out.

**12.6 Other adverse effects**

- No studies have been found.

**Section 13 - Disposal Considerations****13.1 Waste treatment methods****Product waste**

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

**Packaging waste**

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

**Section 14 - Transport Information**

	14.1 UN number	14.2 UN proper shipping name	14.3 Transport hazard class(es)	14.4 Packing group	14.5 Environmental hazards
DOT	Not Applicable	Not Regulated	Not Applicable	Not Applicable	NDA
TDG	Not Applicable	Not Regulated	Not Applicable	Not Applicable	NDA
IMO/IMDG	Not Applicable	Not Regulated	Not Applicable	Not Applicable	NDA
ADN	Not Applicable	Not Regulated	Not Applicable	Not Applicable	NDA
ADR/RID	Not Applicable	Not Regulated	Not Applicable	Not Applicable	NDA
IATA/ICAO	Not Applicable	Not Regulated	Not Applicable	Not Applicable	NDA

**14.6 Special precautions for user**

- None specified.

**14.7 Transport in bulk**

- Data lacking.

according to Annex II of  
Marpol and the IBC Code

## Section 15 - Regulatory Information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA Hazard Classifications • Acute, Chronic

State Right To Know				
Component	CAS	MA	NJ	PA
Asphalt	8052-42-4	Yes	Yes	Yes
Crystalline silica	14808-60-7	Yes	Yes	Yes

Inventory						
Component	CAS	Canada DSL	Canada NDSL	EU EINECS	EU ELNICS	TSCA
Asphalt	8052-42-4	Yes	No	Yes	No	Yes
Crystalline silica	14808-60-7	Yes	No	Yes	No	Yes

### Belgium

#### Labor

Belgium - Substances and Preparations - Carcinogens and Mutagens

• Asphalt	8052-42-4	Not Listed
• Crystalline silica	14808-60-7	Not Listed

### Bulgaria

#### Environment

Bulgaria - Air Quality - Maximum Admissible Hazardous Contaminant Levels - 24 Hour

• Asphalt	8052-42-4	Not Listed
• Crystalline silica	14808-60-7	Not Listed

Bulgaria - Air Quality - Maximum Admissible Hazardous Contaminant Levels - 30 Minute

• Asphalt	8052-42-4	Not Listed
• Crystalline silica	14808-60-7	Not Listed

Bulgaria - Air Quality - Maximum Admissible Hazardous Contaminant Levels - Annual

• Asphalt	8052-42-4	Not Listed
• Crystalline silica	14808-60-7	Not Listed

### Canada

#### Labor

Canada - WHMIS 1988 - Classifications of Substances

• Asphalt	8052-42-4	Not Listed
• Crystalline silica	14808-60-7	D2A (In certain cases, this classification does not apply. For more information, consult the section Substance Specific Issues - Silica, crystalline, encapsulated on Health Canada's WHMIS Division website.)

**Canada - WHMIS 1988 - Ingredient Disclosure List**

• Asphalt	8052-42-4	Not Listed
• Crystalline silica	14808-60-7	1 %

**Environment****Canada - CEPA - Priority Substances List**

• Asphalt	8052-42-4	Not Listed
• Crystalline silica	14808-60-7	Not Listed

**Denmark****Environment****Denmark - List of Undesirable Substances - Product Groups/Function**

• Asphalt	8052-42-4	Not Listed
• Crystalline silica	14808-60-7	Not Listed

**Europe****Other****EU - CLP (1272/2008) - Annex VI - Table 3.2 - Classification**

• Asphalt	8052-42-4	Not Listed
• Crystalline silica	14808-60-7	Not Listed

**EU - CLP (1272/2008) - Annex VI - Table 3.2 - Concentration Limits**

• Asphalt	8052-42-4	Not Listed
• Crystalline silica	14808-60-7	Not Listed

**EU - CLP (1272/2008) - Annex VI - Table 3.2 - Labelling**

• Asphalt	8052-42-4	Not Listed
• Crystalline silica	14808-60-7	Not Listed

**EU - CLP (1272/2008) - Annex VI - Table 3.2 - Notes - Substances and Preparations**

• Asphalt	8052-42-4	Not Listed
• Crystalline silica	14808-60-7	Not Listed

**EU - CLP (1272/2008) - Annex VI - Table 3.2 - Safety Phrases**

• Asphalt	8052-42-4	Not Listed
• Crystalline silica	14808-60-7	Not Listed

**Germany****Labor****Germany - Immission Control - Qualifying Quantities for Major Accident Prevention**

• Asphalt	8052-42-4	Not Listed
• Crystalline silica	14808-60-7	Not Listed

**Germany - Immission Control - Qualifying Quantities for Safety Reporting**

• Asphalt	8052-42-4	Not Listed
• Crystalline silica	14808-60-7	Not Listed

**Germany - TRGS 505 - Specific Lead Regulations**

• Asphalt	8052-42-4	Not Listed
• Crystalline silica	14808-60-7	Not Listed

**Germany - TRGS 511 - Specific Ammonium Nitrate Regulations**

• Asphalt	8052-42-4	Not Listed
• Crystalline silica	14808-60-7	Not Listed

**Environment****Germany - TA Luft - Types and Classes**

• Asphalt	8052-42-4	Not Listed
• Crystalline silica	14808-60-7	Not Listed

**Germany - TA Luft - Emission Limits for Carcinogenic Substances**

• Asphalt	8052-42-4	Not Listed
• Crystalline silica	14808-60-7	Not Listed

**Germany - TA Luft - Emission Limits for Fibers**

• Asphalt	8052-42-4	Not Listed
• Crystalline silica	14808-60-7	Not Listed

**Germany - TA Luft - Emission Limits for Inorganic Dusts**

• Asphalt	8052-42-4	Not Listed
• Crystalline silica	14808-60-7	Not Listed

**Germany - TA Luft - Emission Limits for Inorganic Gases**

• Asphalt	8052-42-4	Not Listed
• Crystalline silica	14808-60-7	Not Listed

**Germany - TA Luft - Emission Limits for Organic Substances**

• Asphalt	8052-42-4	Not Listed
• Crystalline silica	14808-60-7	Not Listed

**Germany - Water Classification (VwVwS) - Annex 1**

• Asphalt	8052-42-4	326, not considered hazardous to water
• Crystalline silica	14808-60-7	849, not considered hazardous to water

**Germany - Water Classification (VwVwS) - Annex 2 - Water Hazard Classes**

• Asphalt	8052-42-4	Not Listed
• Crystalline silica	14808-60-7	Not Listed

**Germany - Water Classification (VwVwS) - Annex 3**

• Asphalt	8052-42-4	Not Listed
• Crystalline silica	14808-60-7	ID Number 849, not considered hazardous to water

**United States****Labor****U.S. - OSHA - Process Safety Management - Highly Hazardous Chemicals**

• Asphalt	8052-42-4	Not Listed
• Crystalline silica	14808-60-7	Not Listed

**U.S. - OSHA - Specifically Regulated Chemicals**

• Asphalt	8052-42-4	Not Listed
• Crystalline silica	14808-60-7	Not Listed

**Environment****U.S. - CAA (Clean Air Act) - 1990 Hazardous Air Pollutants**

• Asphalt	8052-42-4	Not Listed
• Crystalline silica	14808-60-7	Not Listed

**U.S. - CERCLA/SARA - Hazardous Substances and their Reportable Quantities**

• Asphalt	8052-42-4	Not Listed
• Crystalline silica	14808-60-7	Not Listed

**U.S. - CERCLA/SARA - Radionuclides and Their Reportable Quantities**

• Asphalt	8052-42-4	Not Listed
• Crystalline silica	14808-60-7	Not Listed

**U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs**

• Asphalt	8052-42-4	Not Listed
• Crystalline silica	14808-60-7	Not Listed

**U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs**

• Asphalt	8052-42-4	Not Listed
• Crystalline silica	14808-60-7	Not Listed

**U.S. - CERCLA/SARA - Section 313 - Emission Reporting**

• Asphalt	8052-42-4	Not Listed
• Crystalline silica	14808-60-7	Not Listed

**U.S. - CERCLA/SARA - Section 313 - PBT Chemical Listing**

• Asphalt	8052-42-4	Not Listed
• Crystalline silica	14808-60-7	Not Listed

**United States - California****Environment****U.S. - California - Proposition 65 - Carcinogens List**

• Asphalt	8052-42-4	Not Listed
• Crystalline silica	14808-60-7	Not Listed

**U.S. - California - Proposition 65 - Developmental Toxicity**

• Asphalt	8052-42-4	Not Listed
• Crystalline silica	14808-60-7	Not Listed

**U.S. - California - Proposition 65 - Maximum Allowable Dose Levels (MADL)**

• Asphalt	8052-42-4	Not Listed
• Crystalline silica	14808-60-7	Not Listed

**U.S. - California - Proposition 65 - No Significant Risk Levels (NSRL)**

• Asphalt	8052-42-4	Not Listed
• Crystalline silica	14808-60-7	Not Listed

**U.S. - California - Proposition 65 - Reproductive Toxicity - Female**

• Asphalt	8052-42-4	Not Listed
• Crystalline silica	14808-60-7	Not Listed

**U.S. - California - Proposition 65 - Reproductive Toxicity - Male**

• Asphalt	8052-42-4	Not Listed
• Crystalline silica	14808-60-7	Not Listed

**United States - Pennsylvania****Labor****U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List**

• Asphalt	8052-42-4	Not Listed
• Crystalline silica	14808-60-7	Not Listed

**U.S. - Pennsylvania - RTK (Right to Know) - Special Hazardous Substances**

• Asphalt	8052-42-4	Not Listed
• Crystalline silica	14808-60-7	Not Listed

**15.2 Chemical Safety Assessment**

- No Chemical Safety Assessment has been carried out.

**15.3 Other Information**

- **WARNING:** This product contains a chemical known to the State of California to cause cancer.

**Section 16 - Other Information****Revision Date**

- 19/January/2018

**Preparation Date**

- 18/October/2011

**Other Information**

- Changes to this revision: Updated mailing address.

**Disclaimer/Statement of Liability**

- The information contained herein is based on data considered accurate which has been obtained from other companies and organizations. However, no warranty or representation is expressed or implied that the information, is accurate, complete or representative. Firestone Building Products Company, LLC assumes no responsibility for injury to the buyer, the buyer's employees, or any third persons, if reasonable safety procedures are not followed. Additionally, Firestone Building Products Company, LLC assumes no responsibility for injury to buyer, the buyer's employees, or any third persons caused by abnormal use of this material, even if reasonable safety procedures are followed.

**Key to abbreviations**

NDA = No Data Available