

TECHNICAL INFORMATION SHEET

SkyScape™ Slope Cleats 2.25" x 7.25"

Item Description

Slope Cleats 2.25" x 7.25"

Item Number

W56SKY5000



Product Information

Description:

The SkyScape Slope Cleat helps stabilize SkyScape Growing Media at slopes greater than 2:12 or 10°. Each Slope Cleat features preformed hooks at both ends which easily clip into the SkyScape Geogrid.

Method of Application:

1. Starting at the highest point of the roof, set a row of cleats at the distance shown on the spacing guide located on page two of this document. Clip each hook at the end of the cleat into the SkyScape Geogrid.
2. To help with growing media stabilization, offset the next row by starting the first cleat with its outside end directly underneath the midpoint of the row above.
3. Repeat the row spacing and offset to the lowest point in the roof.

Storage:

- Deliver and store products in original packaging with Manufacturer's labels and materials list intact and signed off.
- Store Products in designated weather protected areas, elevated from ground and protected from environmental damage.

Shelf Life:

- N/A

Coverage Rate:

- N/A

Clean-Up:

- Gather and dispose all debris upon completion of work.
- Clean all surfaces and inspect final assembly for approval.

LEED® Information:

Post Consumer Recycled Content: 0%
Post Industrial Recycled Content: 100%
Manufacturing Location: Murfreesboro, TN

SkyScape™ Slope Cleats 2.25" x 7.25"

Physical Properties

<u>Property</u>	<u>Value</u>
Dimensions	28.5" x 3.125" x 2.375"
Material	Recycled ABS Plastic
<u>Cleat Spacing per Roof Slope:</u>	
<u>Slope</u>	<u>Cleat Spacing</u>
2:12 to 3:12 (10° to 14°)	50"
3:12 to 4:12 (14° to 18°)	40"
4:12 to 5:12 (18° to 23°)	30"
5:12 to 6:12 (23° to 26°)	20"
6:12 to 7:12 (26° to 30°)	10"

Please contact your Firestone Building System Advisor at 1-800-428-4511 for further information.

This sheet is meant to highlight Firestone products and specifications and is subject to change without notice. Firestone takes responsibility for furnishing quality materials which meet published Firestone product specifications. Neither Firestone nor its representatives practice architecture. Firestone offers no opinion on and expressly disclaims any responsibility for the soundness of any structure. Firestone accepts no liability for structural failure or resultant damages. Consult a competent structural engineer prior to installation if the structural soundness or structural ability to properly support a planned installation is in question. No Firestone representative is authorized to vary this disclaimer.